

CLAMPING SLEEVES

| Nominal dia. d in mm | l in mm | s in mm | a in mm | d ₁ in mm | Bare steel Art. No. | P. Qty. |
|----------------------|---------|---------|---------|----------------------|---------------------|---------|
| 4.5 | 30 | 1 | 1 | 2.9 | 0475 45 30 | 100 |
| 4.5 | 40 | 1 | 1 | 2.9 | 0475 45 40 | 100 |
| 4.5 | 50 | 1 | 1 | 2.9 | 0475 45 50 | 100 |
| 5 | 5 | 1 | 1.1 | 3.4 | 0475 5 5 | 500 |
| 5 | 6 | 1 | 1.1 | 3.4 | 0475 5 6 | 200 |
| 5 | 8 | 1 | 1.1 | 3.4 | 0475 5 8 | 500 |
| 5 | 10 | 1 | 1.1 | 3.4 | 0475 5 10 | 500 |
| 5 | 12 | 1 | 1.1 | 3.4 | 0475 5 12 | 200 |
| 5 | 14 | 1 | 1.1 | 3.4 | 0475 5 14 | 100 |
| 5 | 16 | 1 | 1.1 | 3.4 | 0475 5 16 | 100 |
| 5 | 18 | 1 | 1.1 | 3.4 | 0475 5 18 | 100 |
| 5 | 20 | 1 | 1.1 | 3.4 | 0475 5 20 | 100 |
| 5 | 22 | 1 | 1.1 | 3.4 | 0475 5 22 | 100 |
| 5 | 24 | 1 | 1.1 | 3.4 | 0475 5 24 | 100 |
| 5 | 25 | 1 | 1.1 | 3.4 | 0475 5 25 | 100 |
| 5 | 26 | 1 | 1.1 | 3.4 | 0475 5 26 | 100 |
| 5 | 28 | 1 | 1.1 | 3.4 | 0475 5 28 | 100 |
| 5 | 30 | 1 | 1.1 | 3.4 | 0475 5 30 | 100 |
| 5 | 32 | 1 | 1.1 | 3.4 | 0475 5 32 | 100 |
| 5 | 36 | 1 | 1.1 | 3.4 | 0475 5 36 | 100 |
| 5 | 40 | 1 | 1.1 | 3.4 | 0475 5 40 | 100 |
| 5 | 45 | 1 | 1.1 | 3.4 | 0475 5 45 | 100 |
| 5 | 50 | 1 | 1.1 | 3.4 | 0475 5 50 | 100 |
| 5 | 55 | 1 | 1.1 | 3.4 | 0475 5 55 | 100 |
| 5 | 60 | 1 | 1.1 | 3.4 | 0475 5 60 | 100 |
| 5 | 70 | 1 | 1.1 | 3.4 | 0475 5 70 | 100 |
| 5 | 80 | 1 | 1.1 | 3.4 | 0475 5 80 | 100 |
| 6 | 8 | 1.2 | 1.4 | 4.0 | 0475 6 8 | 200 |
| 6 | 10 | 1.2 | 1.4 | 4.0 | 0475 6 10 | 100 |
| 6 | 12 | 1.2 | 1.4 | 4.0 | 0475 6 12 | 100 |
| 6 | 14 | 1.2 | 1.4 | 4.0 | 0475 6 14 | 500 |
| 6 | 16 | 1.2 | 1.4 | 4.0 | 0475 6 16 | 100 |
| 6 | 18 | 1.2 | 1.4 | 4.0 | 0475 6 18 | 100 |
| 6 | 20 | 1.2 | 1.4 | 4.0 | 0475 6 20 | 100 |
| 6 | 22 | 1.2 | 1.4 | 4.0 | 0475 6 22 | 100 |
| 6 | 24 | 1.2 | 1.4 | 4.0 | 0475 6 24 | 100 |
| 6 | 25 | 1.2 | 1.4 | 4.0 | 0475 6 25 | 100 |
| 6 | 26 | 1.2 | 1.4 | 4.0 | 0475 6 26 | 100 |
| 6 | 28 | 1.2 | 1.4 | 4.0 | 0475 6 28 | 100 |
| 6 | 30 | 1.2 | 1.4 | 4.0 | 0475 6 30 | 100 |
| 6 | 32 | 1.2 | 1.4 | 4.0 | 0475 6 32 | 100 |
| 6 | 36 | 1.2 | 1.4 | 4.0 | 0475 6 36 | 100 |
| 6 | 40 | 1.2 | 1.4 | 4.0 | 0475 6 40 | 100 |
| 6 | 45 | 1.2 | 1.4 | 4.0 | 0475 6 45 | 100 |
| 6 | 50 | 1.2 | 1.4 | 4.0 | 0475 6 50 | 100 |
| 6 | 55 | 1.2 | 1.4 | 4.0 | 0475 6 55 | 250 |
| 6 | 60 | 1.2 | 1.4 | 4.0 | 0475 6 60 | 100 |
| 6 | 65 | 1.2 | 1.4 | 4.0 | 0475 6 65 | 250 |
| 6 | 70 | 1.2 | 1.4 | 4.0 | 0475 6 70 | 100 |
| 6 | 75 | 1.2 | 1.4 | 4.0 | 0475 6 75 | 250 |
| 6 | 80 | 1.2 | 1.4 | 4.0 | 0475 6 80 | 100 |

ISO 8752

| Nominal dia. d in mm | l in mm | s in mm | a in mm | d ₁ in mm | Bare steel Art. No. | P. Qty. |
|----------------------|---------|---------|---------|----------------------|---------------------|---------|
| 6 | 85 | 1.2 | 1.4 | 4.0 | 0475 6 85 | 250 |
| 6 | 90 | 1.2 | 1.4 | 4.0 | 0475 6 90 | 50 |
| 6 | 95 | 1.2 | 1.4 | 4.0 | 0475 6 95 | 250 |
| 7 | 30 | 1.5 | 1.8 | 4.5 | 0475 7 30 | 250 |
| 7 | 40 | 1.5 | 1.8 | 4.5 | 0475 7 40 | 50 |
| 7 | 45 | 1.5 | 1.8 | 4.5 | 0475 7 45 | 500 |
| 7 | 50 | 1.5 | 1.8 | 4.5 | 0475 7 50 | 50 |
| 7 | 60 | 1.5 | 1.8 | 4.5 | 0475 7 60 | 50 |
| 7 | 70 | 1.5 | 1.8 | 4.5 | 0475 7 70 | 50 |
| 7 | 80 | 1.5 | 1.8 | 4.5 | 0475 7 80 | 50 |
| 8 | 10 | 1.5 | 2.4 | 5.5 | 0475 8 10 | 500 |
| 8 | 12 | 1.5 | 2.4 | 5.5 | 0475 8 12 | 500 |
| 8 | 14 | 1.5 | 2.4 | 5.5 | 0475 8 14 | 500 |
| 8 | 16 | 1.5 | 2.4 | 5.5 | 0475 8 16 | 100 |
| 8 | 18 | 1.5 | 2.4 | 5.5 | 0475 8 18 | 500 |
| 8 | 20 | 1.5 | 2.4 | 5.5 | 0475 8 20 | 100 |
| 8 | 22 | 1.5 | 2.4 | 5.5 | 0475 8 22 | 500 |
| 8 | 24 | 1.5 | 2.4 | 5.5 | 0475 8 24 | 100 |
| 8 | 25 | 1.5 | 2.4 | 5.5 | 0475 8 25 | 250 |
| 8 | 26 | 1.5 | 2.4 | 5.5 | 0475 8 26 | 100 |
| 8 | 28 | 1.5 | 2.4 | 5.5 | 0475 8 28 | 250 |
| 8 | 30 | 1.5 | 2.4 | 5.5 | 0475 8 30 | 100 |
| 8 | 32 | 1.5 | 2.4 | 5.5 | 0475 8 32 | 100 |
| 8 | 36 | 1.5 | 2.4 | 5.5 | 0475 8 36 | 100 |
| 8 | 40 | 1.5 | 2.4 | 5.5 | 0475 8 40 | 50 |
| 8 | 45 | 1.5 | 2.4 | 5.5 | 0475 8 45 | 50 |
| 8 | 48 | 1.5 | 2.4 | 5.5 | 0475 8 48 | 100 |
| 8 | 50 | 1.5 | 2.4 | 5.5 | 0475 8 50 | 50 |
| 8 | 55 | 1.5 | 2.4 | 5.5 | 0475 8 55 | 50 |
| 8 | 60 | 1.5 | 2.4 | 5.5 | 0475 8 60 | 50 |
| 8 | 65 | 1.5 | 2.4 | 5.5 | 0475 8 65 | 250 |
| 8 | 70 | 1.5 | 2.4 | 5.5 | 0475 8 70 | 50 |
| 8 | 75 | 1.5 | 2.4 | 5.5 | 0475 8 75 | 250 |
| 8 | 80 | 1.5 | 2.4 | 5.5 | 0475 8 80 | 50 |
| 8 | 85 | 1.5 | 2.4 | 5.5 | 0475 8 85 | 200 |
| 8 | 90 | 1.5 | 2.4 | 5.5 | 0475 8 90 | 50 |
| 8 | 95 | 1.5 | 2.4 | 5.5 | 0475 8 95 | 100 |
| 10 | 10 | 2 | 2.4 | 6.5 | 0475 10 10 | 500 |
| 10 | 12 | 2 | 2.4 | 6.5 | 0475 10 12 | 500 |
| 10 | 14 | 2 | 2.4 | 6.5 | 0475 10 14 | 500 |
| 10 | 16 | 2 | 2.4 | 6.5 | 0475 10 16 | 500 |
| 10 | 18 | 2 | 2.4 | 6.5 | 0475 10 18 | 500 |
| 10 | 20 | 2 | 2.4 | 6.5 | 0475 10 20 | 100 |
| 10 | 22 | 2 | 2.4 | 6.5 | 0475 10 22 | 500 |
| 10 | 24 | 2 | 2.4 | 6.5 | 0475 10 24 | 500 |
| 10 | 26 | 2 | 2.4 | 6.5 | 0475 10 26 | 500 |
| 10 | 28 | 2 | 2.4 | 6.5 | 0475 10 28 | 100 |
| 10 | 30 | 2 | 2.4 | 6.5 | 0475 10 30 | 50/100 |
| 10 | 32 | 2 | 2.4 | 6.5 | 0475 10 32 | 100 |
| 10 | 36 | 2 | 2.4 | 6.5 | 0475 10 36 | 50 |
| 10 | 40 | 2 | 2.4 | 6.5 | 0475 10 40 | 50 |